



Product can be labeled on top and bottom by our print and apply applicators. Large view windows and doors permit label stock status oversight and easy printer accessibility, while the labelers are easy to rotate & adjust for accurate label placement.



Labels can be adhered to difficult-to-label products, such as ribs (above). The printer can print barcodes with clarity and the applicator can consistently apply labels to flat, overwrap, or rounded surfaces.



Actual weight indicator incorporated into our touchscreen controllers

"[This is the] best WPL system we have!" -Martin Don Juan, AEI Superintendent -Fred Wines, Capital Projects Manager Large Beef Plant in Kansas



### We have your Weigh Price Labeling solution!



# Features



Our straightforward electronic controls make troubleshooting effortless and the obvious choice over our competitors.

Weigh Price Labeling can save a significant amount of labor in weighing and labeling packages. Packages are automatically spaced, aligned, weighed and labeled.

### **Features and Benefits**

- Completely washdown compatible an industry first
- Rigid 304 stainless steel construction
- Achieves minimal product give-away
- Lower operating cost than most existing weigh price labelers on the market
- Industry standard speeds and capacities
- Built from easily available standard components
- Easy product setup with 17-inch touchscreen HMI
- Low cost of ownership

G	0.0	0 1b	Last Weight		
>0<-	Zero Print U	Inits Setup	Product ID		
select	CC Nor 14-669	Semb	Product Name		
Model: SDS-170 SN: 1065 - V. 2-	0-SS mmax 10,000 Class III/I	III. NTEP	PO Number	30	08442638
	100 \$ 0.05 16	mio	Production Date		06/09/16
MCORE G-S.1 ID CCW 14-071			Sell By Date		06/09/16
.L.# 140/1			Current Time	11	07:21 AM
< Back		Pa	ge 1		Next ->
< Back		Pa	ige 1		Next ->
< Back Cycle Printer 1	Cycle Applicator 1	Adjust Label Present 1	Printer 1 Feed	Label Apply Offset 1	Toggle Printer 1/
	Cycle Applicator 1	Adjust Label			
	Cycle Applicator 1 Cycle Applicator 2	Adjust Label Present 1	Printer 1 Feed	Offset 1	Toggle Printer 1/
Cycle Printer 1		Adjust Label Present 1 5 Adjust Label Present 2	Printer 1 Feed Label Printer 2 Feed	Offsol 1 0 Label Apply Offsel 2	Toggle Printer 1/

Intuitive HMI touchscreen allows for minimal training and easy operation.

## **Innovative Design Features**



(Underside View) Our intentional 3-point design permits a very stable equipment base allowing for the most accurate in motion weights.



The majority of our weigh price labeling systems are outfitted with an applicator that applies labels with high speed and precision to the base and/or top of packages.

Large doors permit easy access to service to the printer components as well as easily replaceable label stock. Additionally, changing label stock does not require special tools.





Bottom labeler raises and lowers pneumatically to store for washdown.



Washdown cover for top applicator.





Scan this 2D barcode to see a short video on breaking a 2x4 over our WPL

"You guys are getting it right; top to bottom, stem to stern, front to back - your whole organization just **impresses the hell out of me...**You outperform all of the competition every day: Parts, service, all of it - we just **really appreciate what you're doing over there.** Thank you."

Joseph Kriewald Maintenance Manager Large beef plant in Kansas

### No parts pricing sucker punches!



We use standard, industry-available components that are often easily attainable from multiple vendors, in the design and construction of our equipment assuring our customer economical, simplified, fast and efficient maintainability.



This top-only labeler utilizes an open base, with an optional pre-label push reject/air knife and barcode verification scanner.

### **Additional Features and Benefits**

- Can be integrated into a production line or used as a stand-alone machine
- Easily setup hotkeys for common products (up to 200 are possible)
- Remote troubleshooting via Ethernet

### **WPL Specifications**

- Construction: Heavy-guage 3/16" 304 Stainless Steel Plate
- Interface: 17-inch HMI Color Touchscreen
- Controller: Embedded OS
- Label Preview: WYSIWYG editor
- Data Export: Configurable (i.e. SQL, .xls, .csv)
- Communication: Ethernet TCP/IP, RS-232, RS-485/RS-422







Scan this 2D barcode to see our video on weigh-price labelers



